



POLIGAN

Tiara 10

Product catalogue and system specifications

poligan.co.il

054-6785544



TIARA

Sliding & Folding Balcony Glazing System

The system has been developed to be used efficiently for years without requesting any technical service. There are two glass options in this sliding / folding system, which are 8 mm and 10 mm.

In malls, restaurants, cafes, and offices, wherever you need, a flexible solution to keep your space free when it opens up and secure and visible when it closes.

Technical Details

Description

Panel Sizes	Max. Height(08): 2400 mm Max. Height(10): 2600 mm Max. Width: 800 mm*
Glass Types	Tempered / Laminated Glass
Glass Thickness	8 mm / 10 mm
Threshold Solutions	Int / Flat / Slim / Zero
Lock Options	Comfort / Child Lock / Glass to Glass Lock

To estimate wind load, it should be asked to headquarter for higher than the 15th floor.




European Test Certified Balcony System

Tiara 08/10 Balcony Glazing Systems have been tested by the PfB German Technical Institute according to the norms stated by European Union and have achieved the highest air, water, wind, and sound insulation values in its class.

Invisible Corner

Remove the panels at the corner any time you want.
Whether on the balcony, terrace, or pergola!



Lifetime Usage with Stainless Wheels!

All elements of glass balcony systems must be resistant to external climate. Tiara Balcony Glazing Systems roller for a lifetime of perfect usage with 1440 hours of salt test subjected to guaranteed stainless steel.

TIARA FLAT


The threshold height is 23.3 mm. In passing area, ramp profile provides isolation and allows easy passing.

TIARA SLIM

The threshold height is 23.3 mm. On balustrade systems, it provides maximum panoramic view with less aluminium profiles.

TIARA ZERO

The threshold height is 7.3 mm. It provides free passing by using embedded rail profile.





A New and Comfy Living Space

With Heat Insulated Balcony Glazing


TIARA TWINMAX

Heat-Insulated Sliding & Folding Balcony Glazing System

Heat Insulated Balcony Glazing System Tiara Twinmax differing with its functionality and visually from other balcony glazing systems make your balcony a valuable room for your house.

POLIGAN presents the highest insulation level for a balcony glazing system. In addition, for the first time in the sector, magnetic gasket, EPDM gasket and brush are used together in the same system to increase insulation.

Technical Details	Description
Panel Sizes	Max. Height: 3000 mm Max. Width: 800 mm
Glass Types	Heat-Insulated Glass*
Glass Thickness	28 mm (4 mm + 20 mm + 4 mm)**
Threshold Solutions	Standart / Flat / Slim / Zero
Lock Options	Espagnolette, Child Lock
Jalousie	Optional
Wind Protection Lock	Optional



* Tempered & Laminated Glass options can be applied.

** The standard Heat-Insulated Glass size. The combination varies for Tempered & Laminated Glass options.